

Concrete Universals in Category Theory

David Ellerman
University of California at Riverside

Introduction: "Bad Platonic Metaphysics"

Consider the following example of "bad metaphysics."

Given all the entities that have a certain property, there is one entity among them that exemplifies the property in an absolutely perfect and universal way. It is called the "concrete universal." There is a relationship of "participation" or "resemblance" so that all the other entities that have the property "participate in" or "resemble" that perfect example, the concrete universal. And conversely, every entity that participates in or resembles the universal also has the property. The concrete universal represents the "essence" of the property. All the other instances of the property have "imperfections." There is a process of removing imperfections so that by removing all the imperfections, one arrives at the essence of the property, the concrete universal. For instance, if the property is "whiteness," then the concrete universal (if it existed) would be something that was "perfectly white" and so that anything else would be white if and only if it resembled (in terms of color) that perfect example of whiteness.

To the modern ear, all this sounds like the worst sort of "bad Platonic metaphysics." Yet there is a mathematical theory developed within the last fifty years, category theory, that provides precisely that treatment of concrete universals within mathematics.

A simple example using sets will illustrate the points. Given two sets A and B , consider the property of sets: $F(X) \equiv "X \text{ is contained in } A \text{ and is contained in } B."$ In other words, the property is the property of being both a subset of A and a subset of B . In this example, the *participation* relation is the subset relation. There is a set, namely the intersection or meet of A and B , denoted $A \cap B$, that has the property (so it is a "concrete" instance of the property), and it is universal in the sense that any other set has the property if and only if it participates in the universal example:

concreteness: $F(A \cap B)$, i.e., $A \cap B$ is a subset of both A and B , and

universality: X participates in $A \cap B$ if and only if $F(X)$, i.e., X is a subset of $A \cap B$ if and only if X is contained in both A and B .

Given a set X with the property of "being a subset of both A and B ," an *imperfection* of X is another set X' with the property but which is not contained in X . If sets X and Y both have the property, and X is contained in Y then Y is said to be *more essential* (in the sense of being "equally or more of the essence") than X . If Y is more essential than X then any imperfection of Y is an imperfection of X , and X may have a few other imperfections of its own. In this case, the process of eliminating or filtering out imperfections and becoming "more essential" is the process of taking the union of sets. If X and Y have the property, then their union $X \cup Y$ is more essential than both X and Y . Hence if we take the union of all the instances of the property (the union of all the subsets of both A and B), then we will arrive at the "essence" of the property without any imperfections, namely the intersection $A \cap B$.

This example of a concrete universal is quite simple, but all this "bad metaphysical talk" has highly developed and precise models in category theory. This interpretation of category theory as the theory of concrete universals is the main point of our paper. But we will briefly mention two other controversies in philosophy related to concrete universals: the Third Man Argument and the set theoretical paradoxes.

The Third Man Argument against self-predication in Platonic scholarship is that if "whiteness itself" is white along side all other white objects then there must be a "One over the Many" (a super whiteness) by virtue of which they are all white, and so on in an infinite regress. But with the rigorous modeling of concrete universals in category theory, we see that the flaw in the Third Man Argument is the assumption that the "One over the Many" is distinct from the "Many." In the example cited above, the process of forming the "One over the Many" was the process of taking the union of all the sets with the property (of being a subset of both A and B). But the "One" which was the result of taking this union, namely $A \cap B$, was also one of the "Many" (one of the subsets of both A and B taken in the union).

In the first half of this century, set theory was shaken by the discovery of the set theoretical paradoxes such as Russell's Paradox. The original idea of set theory was to be a general theory of universals where a universal for any given property was an entity such that all

objects would have the property if and only if they had a certain relation to that special universal representing the property. The candidate for this universal entity was the set of all objects with the property so that an object would have the property if and only if it was a member of that set. But this broad definition of "set" allowed the fatal paradoxes. Moreover, the paradoxes all followed because of the possibility in naive set theory of self-predication. For instance, Russell's Paradox resulted from considering the set R of all sets that are not members of themselves. The question of self-predication, "Is R a member of itself or not?", leads to the paradox.

Set theory was reconstructed to eliminate the paradoxes using the iterative notion of a set where the set representing a property was forced to be more "abstract" than all the entities with the property. Hence the universals in reformed set theory were always "abstract universals" that were incapable of self-predication. The paradoxes of naive set theory resulted from the hubris of trying to be a general theory of universals that could be both abstract and concrete at the same time. Once set theory was reconstructed as the theory of abstract universals, the question arises "Is there also a mathematical theory of concrete universals?" We answer "Yes"; that theory is category theory.

Thus the interpretation of category theory as the theory of concrete universals allows one to make a little more sense out of set theory being forced—on pain of paradox—to eschew self-predication. Abstract and concrete universals require rather different mathematical treatments. The paradoxes resulted from trying to use one theory for both types of universals.

The interpretation of category theory as the theory of concrete universals again raises the question of category theory's relation to the foundation of mathematics. Lawvere and Tierney's theory of topoi is an elegant category-theoretic generalization of set theory so it generalizes the set-theoretic foundations of mathematics in many new directions. We argue that category theory is also relevant to foundations in a different way, as the theory of concrete universals. Category theory provides the framework to identify the concrete universals in mathematics, the concrete instances of a mathematical property that exemplify the property is such a perfect and

paradigmatic way that all other instances have the property by virtue of participating in the concrete universal.

Theories of Universals

In Plato's Theory of Ideas or Forms ($\epsilon\iota\delta\eta$), a property F has an entity associated with it, the *universal* u_F , which uniquely represents the property. An object x has the property F , i.e., $F(x)$, if and only if (iff) the object x *participates* in the universal u_F . Let μ (from $\mu\epsilon\theta\epsilon\xi\tau\iota\varsigma$ or methexis) represent the participation relation so

" $x \mu u_F$ " reads as "x participates in u_F ".

Given a relation μ , an entity u_F is said to be *a universal for the property F* (with respect to μ) if it satisfies the following *universality condition*:

for any x , $x \mu u_F$ if and only if $F(x)$.

A universal representing a property should be in some sense unique. Hence there should be an equivalence relation (\approx) so that universals satisfy a *uniqueness condition*:

if u_F and $u_{F'}$ are universals for the same F , then $u_F \approx u_{F'}$.

A mathematical theory is said to be a *theory of universals* if it contains a binary relation μ and an equivalence relation \approx so that with certain properties F there are associated entities u_F satisfying the following conditions:

(I) *Universality*: for any x , $x \mu u_F$ iff $F(x)$, and

(II) *Uniqueness*: if u_F and $u_{F'}$ are universals for the same F [i.e., satisfy (I) above], then

$u_F \approx u_{F'}$.

A universal u_F is said to be *abstract* if it does not participate in itself, i.e., $\neg(u_F \mu u_F)$. Alternatively, a universal u_F is *concrete* if it is self-participating, i.e., $u_F \mu u_F$.

Set Theory as The Theory of Abstract Universals

There is a modern mathematical theory that readily qualifies as a theory of universals, namely set theory. The universal representing a property F is the set of all elements with the property:

$$u_F = \{ x \mid F(x) \}.$$

The participation relation is the set membership relation usually represented by \in . The universality condition in set theory is the equivalence called a (naive) *comprehension axiom*: there is a set y such that for any x , $x \in y$ iff $F(x)$. Set theory also has an *extensionality axiom*, which states that two sets with the same members are identical:

$$\text{for all } x, (x \in y \text{ iff } x \in y') \text{ implies } y = y'.$$

Thus if y and y' both satisfy the comprehension axiom scheme for the same F then y and y' have the same members so $y = y'$. Hence in set theory the uniqueness condition on universals is satisfied with the equivalence relation (\approx) as equality ($=$) between sets. Thus naive set theory qualifies as a theory of universals.

The hope that naive set theory would provide a *general* theory of universals proved to be unfounded. The naive comprehension axiom lead to inconsistency for such properties as

$$F(x) \equiv \text{"}x \text{ is not a member of } x\text{"} \equiv x \notin x$$

If R is the universal for that property, i.e., R is the set of all sets which are not members of themselves, the naive comprehension axiom yields a contradiction.

$$R \in R \text{ iff } R \notin R.$$

Equation.1. Russell's Paradox

The characteristic feature of Russell's Paradox and the other set theoretical paradoxes is the self-reference wherein the universal is allowed to qualify for the property represented by the universal, e.g., the Russell set R is allowed to be one of the x 's in the universality relation: $x \in R$ iff $x \notin x$.

There are several ways to restrict the naive comprehension axiom to defeat the set theoretical paradoxes, e.g., as in Russell's type theory, Zermelo-Fraenkel set theory, or von Neumann-Bernays set theory. The various restrictions are based on an iterative concept of set [Boolos 1971] which forces a set y to be more "abstract", e.g., of higher type or rank, than the elements $x \in y$. Thus the universals provided by the various set theories are "abstract" universals in the intuitive sense that they are more abstract than the objects having the property represented by the universal. Sets may not be members of themselves.¹

With the modifications to avoid the paradoxes, a set theory still qualifies as a theory of universals. The membership relation is the participation relation so that for suitably restricted predicates, there exists a set satisfying the universality condition. Set equality serves as the equivalence relation in the uniqueness conditions. But set theory cannot qualify as a *general* theory of universals. The paradox-induced modifications turn the various set theories into theories of *abstract* (i.e., non-self-participating) universals since they prohibit the self-membership of sets.

Concrete Universals

Philosophy contemplates another type of universal, a *concrete universal*. The intuitive idea of a concrete universal for a property is that it is an object that has the property and has it in such a universal sense that all other objects with the property resemble or participate in that paradigmatic or archetypal instance. The concrete universal u_F for a property F is *concrete* in the sense that it has the property itself, i.e., $F(u_F)$. It is *universal* in the intuitive sense that it represents F -ness in such a perfect and exemplary manner that any object resembles or participates in the universal u_F if and only if it has the property F .

¹ Quine's system ML [1955b] allows " $V \in V$ " for the universal class V , but no standard model of ML has ever been found where " \in " is interpreted as set membership [viz. Hatcher 1982, Chapter 7]. We are concerned with theories that are "set theories" in the sense that " \in " can be interpreted as set membership.

The intuitive notion of a concrete universal occurs in ordinary language (the "all-American boy"), in theology ("the Word made flesh"), in the arts and literature (the old idea that great art uses a concrete instance to universally exemplify certain human conditions, e.g., Shakespeare's *Romeo and Juliet* exemplifies romantic tragedies), and in philosophy (the perfect example of F-ness with no imperfections, only those attributes necessary for F-ness).

The notion of a concrete universal occurred in Plato's Theory of Forms [Malcolm 1991]. Plato's forms are often considered to be abstract or non-self-participating universals quite distinct and "above" the concrete instances. In the words of one Plato scholar, "not even God can scratch Doghood behind the Ears" [Allen 1960]. But Plato did give examples of self-participation or self-predication, e.g., that Justice is just [Protagoras 330]. Moreover, Plato often used expressions that indicated self-predication of universals.

But Plato also used language which suggests not only that the Forms exist separately (*χωριστα*) from all the particulars, but also that each Form is a peculiarly accurate or good particular of its own kind, i.e., the standard particular of the kind in question or the model (*παραδειγμα*) to which other particulars approximate. [Kneale and Kneale 1962, 19]

But many scholars regard the notion of a Form as *paradeigma* or concrete universal as an error.

For general characters are not characterized by themselves: humanity is not human. The mistake is encouraged by the fact that in Greek the same phrase may signify both the concrete and the abstract, e.g. *το λευκον* (literally "the white") both "the white thing" and "whiteness", so that it is doubtful whether *αυτο το λευκον* (literally "the white itself") means "the superlatively white thing" or "whiteness in abstraction". [Kneale and Kneale 1962, 19-20]

Thus some Platonic language is ambivalent between interpreting a form as a concrete universal ("the superlatively white thing") and an abstract universal ("whiteness in abstraction").

The literature on Plato has reached no resolution on the question of self-predication. Scholarship has left Plato on both sides of the fence; many universals are not self-participating but some are. It is fitting that Plato should exhibit this ambivalence since the self-predication issue has only come to a head in this century with the set theoretical antinomies. Set theory had to be reconstructed as a theory of universals that were rigidly non-self-participating.

The reconstruction of set theory as the theory of abstract universals cleared the ground for a separate theory of universals that are always self-participating. Such a theory of concrete universals would realize the self-predicative strand of Plato's Theory of Forms.

A theory of concrete universals would have an appropriate participation relation μ so that for certain properties F , there are entities u_F satisfying the universality condition: for any x , $x \mu u_F$ if and only if $F(x)$. The universality condition and $F(u_F)$ imply that u_F is a *concrete* universal in the previously defined sense of being self-participating, $u_F \mu u_F$. A theory of concrete universals would also have to have an equivalence relation so the concrete universals for the same property would be unique up to that equivalence relation.

Is there a precise mathematical theory of concrete universals? Is there a theory that is to concrete universals as set theory is to abstract universals? Our claim is that category theory is precisely that theory.

To keep matters simple, all our examples will use one of the simplest examples of categories, namely partially ordered sets [for less trivial examples with more of a category-theoretic flavor, see Ellerman 1988]. Consider the universe of subsets $P(U)$ of a set U with the inclusion relation \subseteq as the partial ordering relation. Given sets a and b , consider the property

$$F(x) \equiv x \subseteq a \ \& \ x \subseteq b.$$

The participation relation is set inclusion \subseteq and the intersection $a \cap b$ is the universal u_F for this property $F(x)$. The universality relation states that the intersection is the greatest lower bound of a and b in the inclusion ordering:

$$\text{for any } x, x \subseteq a \cap b \text{ iff } x \subseteq a \ \& \ x \subseteq b.$$

The universal has the property it represents, i.e., $a \cap b \subseteq a \ \& \ a \cap b \subseteq b$, so it is a self-participating or concrete universal. Two concrete universals for the same property must participate in each other. In partially ordered sets, the antisymmetry condition, $y \subseteq y' \ \& \ y' \subseteq y$ implies $y = y'$, means that equality can serve as the equivalence relation in the uniqueness condition for universals in a partial order.

Category Theory as the Theory of Concrete Universals

For the concrete universals of category theory,² the *participation relation* is the *uniquely-factors-through* relation. It can always be formulated in a suitable category as:

" $x \mu u$ " means "there exists a unique arrow $x \rightarrow u$ ".

Then x is said to *uniquely factor through* u , and the arrow $x \rightarrow u$ is the unique factor or participation morphism. In the universality condition,

for any x , $x \mu u$ if and only if $F(x)$,

the existence of the identity arrow $1_u:u \rightarrow u$ is the self-participation of the concrete universal that corresponds with $F(u)$, the application of the property to u . In category theory, the equivalence relation used in the uniqueness condition is the isomorphism (\cong).³

It is sometimes convenient to "turn the arrows around" and use the dual definition where " $x \mu u$ " means "there exists a unique arrow $u \rightarrow x$ " that can also be viewed as the original definition stated in the dual or opposite category.

Category theory qualifies as a theory of universals with participation defined as "uniquely factors through" and the equivalence relation taken as isomorphism. The universals of category theory are self-participating or concrete; a universal u uniquely factors through itself by the identity morphism.

² To help establish notation, a category may be defined as follows [e.g., MacLane and Birkhoff 1967 or MacLane 1971]:

A *category* C consists of

- (a) a set of *objects* a, b, c, \dots ,
- (b) for each pair of objects $\langle a, b \rangle$, a set $\text{hom}_C(a, b) = C(a, b)$ whose elements are represented as *arrows* or *morphisms* $f: a \rightarrow b$,
- (c) for any $f \in \text{hom}_C(a, b)$ and $g \in \text{hom}_C(b, c)$, there is the *composition* $gf: a \rightarrow b \rightarrow c$ in $\text{hom}_C(a, c)$,
- (d) composition of arrows is an associative operation, and
- (e) for each object a , there is an arrow $1_a \in \text{hom}_C(a, a)$, called the *identity* of a , such that for any $f: a \rightarrow b$ and $g: c \rightarrow a$, $f1_a = f$ and $1_a g = g$.

An arrow $f: a \rightarrow b$ is an *isomorphism* if there is an arrow $g: b \rightarrow a$ such that $fg = 1_b$ and $gf = 1_a$.

³ Thus it must be verified that two concrete universals for the same property are isomorphic. By the universality condition, two concrete universals u and u' for the same property must participate in each other. Let $f: u' \rightarrow u$ and $g: u \rightarrow u'$ be the unique arrows given by the mutual participation. Then by composition $gf: u' \rightarrow u'$ is the unique arrow $u' \rightarrow u'$ but $1_{u'}$ is another such arrow so by uniqueness, $gf = 1_{u'}$. Similarly, $fg: u \rightarrow u$ is the unique self-participation arrow for u so $fg = 1_u$. Thus mutual participation of u and u' implies $u \cong u'$.

Category theory as the theory of concrete universals has quite a different flavor from set theory, the theory of abstract universals. Given the collection of all the elements with a property, set theory can postulate a more abstract entity, the set of those elements, to be the universal. But category theory cannot postulate its universals because those universals are concrete. Category theory must find its universals, if at all, among the entities with the property.

Universals as Essences

The concrete universal for a property represents the essential characteristics of the property without any imperfections (to use some language of an Aristotelian stamp). All the objects in category theory with universal mapping properties such as limits and colimits [viz. Schubert 1972, Chaps. 7-8] are concrete universals for universal properties. Thus the universals of category theory can typically be presented as the limit (or colimit) of a process of filtering out or eliminating imperfections to arrive at the pure essence of the property.

Consider the previous example of the intersection $a \cap b$ of sets a and b as the concrete universal for the property F of being contained in a and in b . Given a set x with the property of "being a subset of both a and b ," an *imperfection* of x is another set x' with the property but which is not contained in x .




Figure 1. The set x' is an *imperfection* of the set x (relative to the property of being a subset of both a and b).

If sets x and y both have the property, and x is contained in y then y is said to be *more essential* (in the sense of being "equally or more of the essence") than x .




Figure 2. The set y is *more essential* than x (with respect to the property of being a subset of both a and b).

If y is more essential than x then any imperfection of y is an imperfection of x , and x may have a few other imperfections of its own. In this case, the process of eliminating or filtering out imperfections and becoming "more essential" is the process of taking the union of sets. If we remove all the imperfections, i.e., add to x all the other elements common to a and b , then we arrive at the "essence" of the property, the concrete universal $a \cap b$ for the property.

The property $F(x) \equiv x \subseteq a \ \& \ x \subseteq b$ is preserved under arbitrary unions:

$$\text{if } F(x_\beta) \text{ for any } x_\beta \text{ in } \{x_\beta \mid \beta \in B\}, \text{ then } F(\cup_\beta x_\beta).$$

Hence given any collection of instances $\{x_\beta \mid \beta \in B\}$ of the property F , their union is more essentially F than the instances. None of the sets in the collection are imperfections of the union. Thus the limit of this process, the "essence of F -ness," can be obtained as the union of *all* the instances of F :

$$\cup \{x \mid x \subseteq a \ \& \ x \subseteq b\} = a \cap b.$$

Equation 2. The Essence of being a Subset of Set a and a Subset of Set b is Obtained by Filtering Out All Imperfections.

It has *no* imperfections relative to the property F so it is the concrete universal. Moreover, since the universal is concrete, the set $a \cap b$ is among the sets x involved in the union and it contains all the other such sets x . Thus the union is "taken on," i.e., is equal to one of the sets in the union.

All the category theory examples can be dualized by "reversing the arrows." Reversing the inclusion relation in the definition of F yields the property:

$$G(x) \equiv a \subseteq x \ \& \ b \subseteq x.$$

The participation relation μ for G is the reverse of inclusion \supseteq and the union of a and b is the concrete universal. The universality condition is:

$$\text{for all } x, \ x \supseteq a \cup b \text{ iff } a \subseteq x \ \& \ b \subseteq x.$$

If x has the property G but is not the universal, then x has certain imperfections. An imperfection of x (relative to the G property) would be given by another set x' containing both a and b but not containing x . A set of instances of G could be purified of some imperfections by taking the intersection of the set. G -ness is preserved under arbitrary intersections. The intersection of a collection of sets with the property G is (equally or) more essential than the sets in the collection. None of the sets in the collection are imperfections of the intersection. Thus the universal or essence of G -ness can be obtained as the intersection of *all* the sets with the property G :

$$\bigcap \{x \mid a \subseteq x \ \& \ b \subseteq x\} = a \cup b.$$

The union of a and b has no imperfections relative to the property G .

Entailment as Participation Between Concrete Universals

In Plato's Theory of Forms, a logical inference is valid because it follows the necessary connections between universals. Threeness entails oddness because the universal for threeness "brings on" [$\epsilon\pi\iota\phi\epsilon\rho\epsilon\iota$ or *epipherei*, viz. Vlastos 1981, 102; or Sayre 1969, Part IV] or "shares in" the universal for oddness. In a mathematical theory of universals, the "entailment" relation between universals is defined as follows: given universals u_F and u_G ,

$$u_F \text{ entails } u_G \text{ if for any } x, \text{ if } x \mu u_F \text{ then } x \mu u_G.$$

In set theory, the participation relation μ is the membership relation \in so the entailment relation between sets as abstract universals is the *inclusion* relation. Thus in set theory as the theory of abstract universals, the entailment relation (inclusion) between universals is not the same as the participation relation (membership). Considerable effort was expended in the

history of logic to clearly understand the difference between inclusion and membership, e.g., between the copulas in "All roses are beautiful" and "The rose is beautiful."

In category theory, the participation relation μ is the uniquely-factors-through relation and the universals are self-participating. If u_G entails u_F , then $x \mu u_G$ implies $x \mu u_F$. Since $u_G \mu u_G$ (a relationship that does not hold for abstract universals), it follows that $u_G \mu u_F$. In short, for the concrete universals of category theory,

Entailment relation = Participation relation restricted to concrete universals.

To speak in a philosophical mode for illustrative purposes, let "The Rose" and "The Beautiful" be the concrete universals for the respective properties. In the theory of concrete universals, the general statement "All roses are beautiful" and the singular statement "The Rose is beautiful" are *equivalent*. Both express the proposition that "The Rose participates in The Beautiful," and that proposition is distinct from the statement "The rose is beautiful" (about a rather imperfect plant in one's backyard).

For an example of entailment, let us first consider another universal in the partial order of subsets of some given universe set. Given sets a and b , the *complement of a relative to b* is the concrete universal for the property

$$G(x) \equiv a \cap x \subseteq b.$$

Let the concrete universal be symbolized as $a \Rightarrow b$ so by concreteness and universality we have:

$$a \cap (a \Rightarrow b) \subseteq b, \text{ and}$$

$$\text{for all } x, x \subseteq a \Rightarrow b \text{ iff } a \cap x \subseteq b.$$




Figure 3. Relative complement $a \Rightarrow b$ is the union of b with the complement of a .

The property $F(x) \equiv x \subseteq a \ \& \ x \subseteq b$ entails the property $G(x) \equiv a \cap x \subseteq b$. The entailment between the properties is realized concretely by the participation relationship between the two concrete universals for the respective properties:

$$a \cap b \subseteq a \Rightarrow b.$$

Equation 3. Universal for F Participates in Universal for G

We can now pair together the statements in our intuitive example and the corresponding rigorous statements in the set theoretical example (using the correlation "The Rose" $\leftrightarrow (a \cap b)$ and "The Beautiful" $\leftrightarrow a \Rightarrow b$). The three statements in each column of the table are equivalent.

Intuitive Example	Corresponding Rigorous Statement in Set Example
All roses are beautiful.	For all subsets x , $x \subseteq a \ \& \ x \subseteq b$ implies $a \cap x \subseteq b$.
The Rose is beautiful.	$a \cap (a \cap b) \subseteq b$.
The Rose participates in The Beautiful.	$a \cap b \subseteq a \Rightarrow b$.

Adjoint Functors

One of the most important and beautiful notions in category theory is the notion of a pair of adjoint functors. We will try to illustrate how adjoint functors relate to our theme of concrete universals while staying within the methodological restriction of using examples from partial orders (where adjoint functors are called "Galois connections").

We have been working within the inclusion partial order on the set of subsets $P(U)$ of a universe set U . Consider the set of all ordered pairs of subsets $\langle a, b \rangle$ from the Cartesian product $P(U) \times P(U)$ where the partial order (using the same symbol \subseteq) is defined by pairwise inclusion. That is, given the two ordered pairs $\langle a', b' \rangle$ and $\langle a, b \rangle$, we define

$$\langle a', b' \rangle \subseteq \langle a, b \rangle \text{ if } a' \subseteq a \text{ and } b' \subseteq b.$$

Order-preserving maps can be defined each way between these two partial orders. From $P(U)$ to $P(U) \times P(U)$, there is the diagonal map $\Delta(x) = \langle x, x \rangle$, and from $P(U) \times P(U)$ to $P(U)$, there

is the meet map $\cap(\langle a, b \rangle) = a \cap b$. Consider now the following "*adjointness relation*" between the two partial orders:

$$\Delta(c) \subseteq \langle a, b \rangle \text{ iff } c \subseteq \cap(\langle a, b \rangle)$$

Equation 4. Adjointness Relationship

for sets a, b , and c in $P(U)$. It has a certain symmetry that can be exploited. If we fix $\langle a, b \rangle$, then we have the previous universality condition for the meet of a and b :

$$\text{for any } c \text{ in } P(U), \Delta(c) \subseteq \langle a, b \rangle \text{ iff } c \subseteq \cap(\langle a, b \rangle).$$

Equation 5. Universality Condition for Meet of Sets a and b

The defining property on elements c of $P(U)$ is that $\Delta(c) \subseteq \langle a, b \rangle$ (just a fancy way of saying that c is a subset of both a and b). But using the symmetry, we could fix c and have another universality condition using the reverse inclusion in $P(U) \times P(U)$ as the participation relation:

$$\text{for any } \langle a, b \rangle \text{ in } P(U) \times P(U), c \subseteq \cap(\langle a, b \rangle) \text{ iff } \langle a, b \rangle \supseteq \Delta(c).$$

Equation 6. Universality Condition for $\Delta(c)$

Here the defining property on elements $\langle a, b \rangle$ of $P(U) \times P(U)$ is that the meet of a and b is a superset of the given set c . The concrete universal for that property is the image of c under the diagonal map $\Delta(c) = \langle c, c \rangle$, just as the concrete universal for the other property defined given $\langle a, b \rangle$ was the image of $\langle a, b \rangle$ under the meet map $\cap(\langle a, b \rangle) = a \cap b$.

Thus in this adjoint situation between the two categories $P(U)$ and $P(U) \times P(U)$, we have a pair of maps ("adjoint functors") going each way between the categories such that each element in a category defines a certain property in the other category and the map carries the element to the concrete universal for that property.

$$\begin{array}{ccc} P(U) & \xrightarrow{\Delta} & P(U) \times P(U) \\ & \xleftarrow{\cap} & \\ & \cap & \end{array}$$

Figure 4. Example of Adjoint Functors Between Partial Orders

The notion of a pair of adjoint functors is ubiquitous; it is one of the main tools that highlights concrete universals throughout modern mathematics.

The Third Man Argument in Plato

Much of the modern Platonic literature on self-participation and self-predication [e.g., Malcolm 1991] stems from the work of Vlastos on the Third Man argument [1954, 1981]. The name derives from Aristotle, but the argument occurs in the dialogues.

But now take largeness itself and the other things which are large. Suppose you look at all these in the same way in your mind's eye, will not yet another unity make its appearance—a largeness by virtue of which they all appear large?

So it would seem.

If so, a second form of largeness will present itself, over and above largeness itself and the things that share in it, and again, covering all these, yet another, which will make all of them large. So each of your forms will no longer be one, but an indefinite number. [Parmenides, 132]

If a form is self-predicative, the participation relation can be interpreted as "resemblance". An instance has the property F because it resembles the paradigmatic example of F-ness. But then, the Third Man argument contends, the common property shared by Largeness and other large things gives rise to a "One over the many", a form Largeness* such that Largeness and the large things share the common property by virtue of resembling Largeness*. And the argument repeats itself giving rise to an infinite regress of forms. A key part of the Third Man argument is what Vlastos calls the *Non-Identity thesis*:

NI If anything has a given character by participating in a Form, it is not identical with that Form. [Vlastos 1981, 351]

It implies that Largeness* is not identical with Largeness.

P. T. Geach [1956] has developed a self-predicative interpretation of Forms as standards or norms, an idea he attributes to Wittgenstein. A stick is a yard long because it resembles, lengthwise, the standard yard measure. Geach avoids the Third Man regress with the exceptionalist device of holding the Form "separate" from the many so they could not be grouped together to give rise to a new "One over the many". Geach aptly notes the analogy with

Frege's ad hoc and unsuccessful attempt to avoid the Russell-type paradoxes by allowing a set of all and only the sets which are not members of themselves—except for that set itself [viz. Quine 1955a, Geach 1980].

Category theory provides a mathematical model for the Third Man argument, and it shows how to avoid the regress. The category-theoretic model shows that the flaw in the Third Man argument lies not in self-predication but in the Non-Identity thesis [viz. Vlastos 1954, 326-329]. "The One" is not necessarily "over the many"; it can be (isomorphic to) one among the many. In mathematical terms, a colimit or limit can "take on" one of the elements in the diagram. In the special case of sets ordered by inclusion, the union or intersection of a collection of sets is not necessarily distinct from the sets in the collection; it could be one among the many.

For example, let $A = \cup\{A_\beta\}$ be the One formed as the union of a collection of many sets $\{A_\beta\}$. Then add A to the collection and form the new One* as

$$A^* = \cup\{A_\beta\} \cup A.$$

This operation leads to no Third Man regress since $A^* = A$.

Whitehead described European philosophy as a series of footnotes to Plato, and the Theory of Forms was central to Plato's thought. We have seen a number of ways in which the interpretation of category theory as the theory of concrete universals provides a rigorous self-predicative mathematical model for Plato's Theory of Forms and for the intuitive notion of a concrete universal elsewhere in philosophy.

Category Theory and Foundations

What is the relevance of category theory to the foundations of mathematics? Today, this question might be answered by pointing to Lawvere and Tierney's *theory of toposes* [e.g., Lawvere 1972, Lawvere et al. 1975, or Hatcher 1982]. Topos theory can be viewed as a categorically formulated generalization of set theory to abstract sheaf theory. A set can be viewed as a sheaf of sets on the one-point space, and much of the machinery of set theory can be generalized to sheaves (e.g., the author's 1971 dissertation [1974] generalizing the ultraproduct

construction to sheaves on a topological space). Since much of mathematics can be formulated in set theory, it can be reconstructed with many variations in topoi.

The concept of category theory as the logic of concrete universals presents quite a different picture of the foundational relevance of category theory. Topos theory is important in its own right as a generalization of set theory, but it does not exclusively capture category theory's foundational relevance. Concrete universals do not "generalize" abstract universals, so as the theory of concrete universals, category theory does not try to generalize set theory, the theory of abstract universals. Category theory presents the theory of the other type of universals, the self-participating or concrete universals.

Logic becomes concrete in category theory as the theory of concrete universals. Facts become things. Properties F can be realized concretely as universals u_F . The fact that x is an F -instance is realized concretely by the unique participation morphism $x \rightarrow u_F$. A universal implication "for all x , $F(x)$ implies $G(x)$ " is realized concretely by the unique participation morphism $u_F \rightarrow u_G$ wherein one universal "brings on" or entails another universal.

Category theory is relevant to foundations in a different way than set theory. As the theory of concrete universals, category theory does not attempt to derive all of mathematics from a single theory. Instead, category theory's foundational relevance is that it provides universality concepts to characterize the important structures or forms throughout mathematics.

The Working Mathematician knows that the importance of category theory is that it provides a criterion of importance in mathematics. Category theory provides the concepts to isolate the universal instance from among all the instances of a property. The Concrete Universal is the most important instance of a property because it represents the property in a paradigmatic way. It shows the essence of the property without any imperfections. All other instances have the property by virtue of participating in the Concrete Universal.

References

- Allen, R. E. 1960. "Participation and Predication in Plato's Middle Dialogues." *The Philosophical Review* 64:147-64.
- Boolos, George. 1971. "The Iterative Conception of Set." *The Journal of Philosophy* 68, (April 22): 215-31.
- Eilenberg, S., and MacLane, S. 1945. "General Theory of Natural Equivalences." *Transactions of the American Mathematical Society* 58: 231-94.
- Ellerman, David P. 1974. "Sheaves of Structures and Generalized Ultraproducts." *Annals of Mathematical Logic* 7 (December): 163-95.
- Ellerman, David P. 1988. "Category Theory and Concrete Universals." *Erkenntnis* 28: 409-29.
- Geach, P. T. 1956. "The Third Man Again." *The Philosophical Review* 65: 72-82.
- Geach, P. T. 1980. *Logic Matters*. Berkeley: University of California Press.
- Hatcher, William. 1982. *The Logical Foundations of Mathematics*. Oxford: Pergamon Press.
- Kneale, William, and Martha Kneale. 1962. *The Development of Logic*. Oxford: Oxford University Press.
- Lawvere, W., ed.. 1972. *Springer Lecture Notes in Mathematics 274: Toposes, Algebraic Geometry and Logic*. Berlin: Springer-Verlag.
- Lawvere, W., C. Maurer, and G. C. Wraith. 1975. *Springer Lecture Notes in Mathematics 445: Model Theory and Topoi*. Berlin: Springer-Verlag.
- MacLane, Saunders. 1971. *Categories for the Working Mathematician*. New York: Springer-Verlag.
- MacLane, Saunders, and Garrett Birkhoff. 1967. *Algebra*. New York: MacMillan.
- Malcolm, John. 1991. *Plato on the Self-Predication of Forms*. Oxford: Clarendon Press.
- Quine, W.V.O. 1955a. On Frege's Way Out. *Mind*. 64: 145-59.
- Quine, W.V.O. 1955b. *Mathematical Logic*. Cambridge, Mass.: Harvard University Press.
- Sayre, Kenneth. 1969. *Plato's Analytic Method*. Chicago: University of Chicago Press.
- Schubert, Horst. 1972. *Categories*. Trans. Eva Gray. New York: Springer-Verlag.
- Vlastos, Gregory. 1981. *Platonic Studies*. Princeton: Princeton University Press.
- Vlastos, Gregory, ed.. 1978. *Plato: A Collection of Critical Essays I: Metaphysics and Epistemology*. Notre Dame: University of Notre Dame Press.